

[54] RADIO RECEIVER

[75] Inventors: **Katsuhiko Makino; Keizo Kushida,** both of Hirakata; **Kenzo Ishise,** Neyagawa; **Benito Mishiro, Sakai,** all of Japan

[73] Assignee: **Matsushita Electric Industrial Co., Ltd.,** Osaka, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **781,806**

[22] Filed: **Mar. 28, 1977**

[30] Foreign Application Priority Data

Dec. 9, 1976 [JP] Japan ..... 51-48132

[51] Int. Cl. .... **D14-03**

[52] U.S. Cl. .... **D14/75**

[58] Field of Search ..... **D14/1, 2, 5, 6, 10, D14/20, 23-25, 30, 34, 37, 39, 68-76, 79, 84, 95, 96, 99**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 134,707	12/1942	Morgan .....	D14/75
D. 194,884	3/1963	Frankel .....	D14/70
D. 238,610	1/1976	Ohita et al. ....	D14/75
D. 245,980	10/1977	Igo et al. ....	D14/68

OTHER PUBLICATIONS

Best Products '75 Buyer's Bk. #118, p. 320b, item "F", #41405deta3297.

*Primary Examiner*—Joel Stearman  
*Assistant Examiner*—J. Corrigan  
*Attorney, Agent, or Firm*—Richard C. Sughrue

[57] CLAIM

The ornamental design for a radio receiver, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a radio receiver showing our new design; FIG. 2 is a rear, bottom and left side perspective view; FIG. 3 is a top plan view; and FIG. 4 is a right side elevational view thereof.




Fig. 1






Fig. 2



*Fig. 3*



*Fig. 4*

