[54]	ENVIRONMENTALLY SEALED ELECTRICAL CONNECTOR ASSEMBLY		
[75]	Inventors	Clair W. Snyder, Jr., Hellam; Paul B. Derr, Middletown; Thomas H. Wycheck, Harrisburg, all of Pa.	
[73]	Assignee:	AMP Incorporated, Harrisburg, Pa.	
[**]	Term:	14 Years	
[21]	Appl. No.	: 828,060	
[22]	Filed:	Aug. 26, 1977	
	U.S. Cl Field of S	D13-03 D13/24 earch	
[56]		References Cited	
U.S. PATENT DOCUMENTS			
2,89 3,87	6,221 6/1 92,991 6/1 74,761 4/1 30,487 4/1	959 Beebee et al	
Primary Examiner—Susan J. Lucas Attorney, Agent, or Firm—William J. Keating			
[57]		CLAIM	

The ornamental design for an environmentally sealed

electrical connector assembly, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an environmentally sealed connector assembly showing our new design;

FIG. 2 is a mating end view of the plug member of the subject environmentally sealed connector assembly on an enlarged scale;

FIG. 3 is a rear end view of the plug member of the subject environmentally sealed connector assembly on an enlarged scale;

FIG. 4 is a rear end view of the receptacle member of the subject environmentally sealed connector assembly on an enlarged scale;

FIG. 5 is a mating end view of the receptacle member of the subject environmentally sealed connector assembly on an enlarged scale;

FIG. 6 is a top plan view of the subject environmentally sealed connector assembly in an exploded or unmated condition, the bottom being a mirror image thereof;

FIG. 7 is an elevation of one side of the subject environmentally sealed connector assembly in an exploded or unmated condition;

FIG. 8 is an elevation of the opposite side of the subject environmentally sealed connector assembly in an exploded or unmated condition;

FIG. 9 is a perspective view showing the members fitted together to form the assembly unit.















