

[54] ENVIRONMENTALLY SEALED ELECTRICAL CONNECTOR ASSEMBLY

[75] Inventors: Clair W. Snyder, Jr., Hellam; Paul B. Derr, Middletown; Thomas H. Wycheck, Harrisburg, all of Pa.

[73] Assignee: AMP Incorporated, Harrisburg, Pa.

[**] Term: 14 Years

[21] Appl. No.: 828,060

[22] Filed: Aug. 26, 1977

[51] Int. Cl. D13-03

[52] U.S. Cl. D13/24

[58] Field of Search D13/12, 24, 27, 28, D13/29, 30; 339/59 M, 60 R, 60 M, 91 R, 185 R, 186 R, 186 M

[56] References Cited

U.S. PATENT DOCUMENTS

2,046,221	6/1936	Thomas	339/91 R X
2,892,991	6/1959	Beebee et al.	339/60 M X
3,874,761	4/1975	Stauffer	339/60 R
3,880,487	4/1975	Goodman et al.	339/60 R

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—William J. Keating

[57] CLAIM

The ornamental design for an environmentally sealed

electrical connector assembly, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an environmentally sealed connector assembly showing our new design;

FIG. 2 is a mating end view of the plug member of the subject environmentally sealed connector assembly on an enlarged scale;

FIG. 3 is a rear end view of the plug member of the subject environmentally sealed connector assembly on an enlarged scale;

FIG. 4 is a rear end view of the receptacle member of the subject environmentally sealed connector assembly on an enlarged scale;


FIG. 5 is a mating end view of the receptacle member of the subject environmentally sealed connector assembly on an enlarged scale;






FIG. 6 is a top plan view of the subject environmentally sealed connector assembly in an exploded or unmated condition, the bottom being a mirror image thereof;




FIG. 7 is an elevation of one side of the subject environmentally sealed connector assembly in an exploded or unmated condition;

FIG. 8 is an elevation of the opposite side of the subject environmentally sealed connector assembly in an exploded or unmated condition;

FIG. 9 is a perspective view showing the members fitted together to form the assembly unit.










FIG. 9