## United States Patent [19]

## Weller

[11] Des. 251,606

[45] \*\* Apr. 17, 1979

		·
[54]	VISUAL I	NPUT STRESS AID KIT
[76]	Inventor:	Robert W. Weller, P.O. Box 1610, La Jolla, Calif. 92038
[**]	Term:	14 Years
[21]	Appl. No.:	910,591
[22]	Filed:	May 30, 1978
[51]		
[52]	U.S. Cl	
[58]	Field of Se	arch 351/36, 39, 37, 3, 2,
		351/18; D24/8; 128/76.5; D10/109
[56]		References Cited
•	U.S.	PATENT DOCUMENTS
D. 24	43,288 2/19	977 Jampolsky et al D24/8
	11,394 12/1	
3,844,641 10/1974		
3,910,690 10/1975		
•		er—Bernard Ansher

Attorney, Agent, or Firm-Frank D. Gilliam

## [57] CLAIM

The ornamental design for a visual input stress aid kit, substantially as shown and described.

## **DESCRIPTION**

FIG. 1 is a front perspective elevation view of a visual input stress aid kit showing my new design;

FIG. 2 is a side elevation thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is an enlarged front elevation of the jewel element, shown separately for clarity of illustration;

FIG. 6 is a perspective view of a second modified embodiment of the design illustrated in FIG. 1;

FIG. 7 is a side elevation thereof;

FIG. 8 is a top plan view thereof;

FIG. 9 is a front elevation of a third modified embodiment of the design illustrated in FIG. 1;


FIG. 10 is a front elevation of a fourth modified embodiment of the design illustrated in FIG. 1;


FIG. 11 is a front elevation of a fifth modified embodiment of the design illustrated in FIG. 1;


FIG. 12 is a front elevation of a sixth modified embodiment of the design illustrated in FIG. 1;


FIG. 13 is a front elevation of a seventh modified em-


bodiment of the design illustrated in FIG. 1; and FIG. 14 is a front elevation of an eighth modified embodiment of the design illustrated in FIG. 1.











F14.10

F14.11

F14.12

F14.13

F14.14

