

[54] COMBINED SADDLE AND PAD  
[76] Inventor: Mac C. Abercrombie, Jr., P.O. Box 67, Douglasville, Ga. 30134

804,397	11/1905	Grushus .....	54/46
1,159,715	11/1915	Schick .....	54/44
2,845,766	8/1958	Leddy .....	54/46
3,130,530	4/1964	Foreman .....	54/46

[\*\*] Term: 14 Years  
[21] Appl. No.: 846,262  
[22] Filed: Oct. 27, 1977

[51] Int. Cl. .... D30-04  
[52] U.S. Cl. .... D30/20  
[58] Field of Search ..... D30/19-31;  
54/44, 46, 65, 66

OTHER PUBLICATIONS

Photographs of a Saddle Produced by Applicant Prior to the Filing of this Application, Submitted Nov. 21, 1977.

Primary Examiner—James R. Largen  
Attorney, Agent, or Firm—Patrick F. Henry

[57] CLAIM

The ornamental design for a combined saddle and pad, as shown.


[56] References Cited


U.S. PATENT DOCUMENTS

D. 34,766	7/1901	Croom .....	D30/20
165,973	7/1875	Albee .....	54/44
D. 179,479	1/1957	Houy .....	D30/20
233,816	10/1880	Straus .....	54/44
415,467	11/1889	Padgitt .....	54/46
662,564	11/1900	Hicks .....	54/46
674,757	5/1901	Clark .....	54/46


DESCRIPTION

FIG. 1 is a left side elevational view of a combined saddle and pad showing my new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; and FIG. 6 is a bottom plan view thereof.







**Fig. 1**




**Fig. 2**




**Fig. 3**



**Fig. 4**



**Fig. 5**



**Fig. 6**