

[54] COMBINED SADDLE AND PAD
[76] Inventor: Mac C. Abercrombie, Jr., P.O. Box 67, Douglasville, Ga. 30134

804,397	11/1905	Grushus	54/46
1,159,715	11/1915	Schick	54/44
2,845,766	8/1958	Leddy	54/46
3,130,530	4/1964	Foreman	54/46

[**] Term: 14 Years
[21] Appl. No.: 846,262
[22] Filed: Oct. 27, 1977

OTHER PUBLICATIONS

Photographs of a Saddle Produced by Applicant Prior to the Filing of this Application, Submitted Nov. 21, 1977.

Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Patrick F. Henry

[51] Int. Cl. D30-04
[52] U.S. Cl. D30/20
[58] Field of Search D30/19-31;
54/44, 46, 65, 66

[57] CLAIM


The ornamental design for a combined saddle and pad, as shown.

[56] References Cited
U.S. PATENT DOCUMENTS

DESCRIPTION

D. 34,766	7/1901	Croom	D30/20
165,973	7/1875	Albee	54/44
D. 179,479	1/1957	Houy	D30/20
233,816	10/1880	Straus	54/44
415,467	11/1889	Padgitt	54/46
662,564	11/1900	Hicks	54/46
674,757	5/1901	Clark	54/46

FIG. 1 is a left side elevational view of a combined saddle and pad showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof; and
FIG. 6 is a bottom plan view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6