

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

[75] Inventors: Karl A. Grosch, Roetgen; Paul H. Moitzheim; Gert Schloesser, both of Aachen, all of Fed. Rep. of Germany; Daniel J. M. Hensgens, Ubach-Overworms, Netherlands

[73] Assignee: Uniroyal GmbH

[**] Term: 14 Years

[21] Appl. No.: 893,559

[22] Filed: Apr. 5, 1978

[51] Int. Cl. D12-15

[52] U.S. Cl. D12/143

[58] Field of Search D12/141-143, D12/145-151; 152/209

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 193,379 8/1962 French D12/141
- D. 238,420 1/1976 Verdier D12/143

OTHER PUBLICATIONS

Tire Review, 4/73, p. 55, 237 Truck Tire, bottom right side of page.

Modern Tire Dealer, 12/75, p. 34, Steelmaster L-2 Tire, second tire down from top of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Charles A. Blank

[57] CLAIM

The ornamental design for a pneumatic tire tread and buttress, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view, partly schematic, of a pneumatic tire tread and buttress embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, as shown schematically by solid lines;

FIG. 2 is an enlarged, fragmentary developmental plan view of the tread and buttress of FIG. 1; and

FIG. 3 is an enlarged, sectional view of the tread and buttress, taken substantially as indicated by line 3-3 of FIG. 2.





Fig. 1.






Fig. 2.




Fig. 3.