Horn

[45] ** May 15, 1979

[54]	LIGHTING	FIXTURE
[75]	Inventor:	Karl Horn, Conyngham, Pa.
[73]	Assignee:	Sarama Industries, Inc., Bala Cynwyd, Pa.
[**]	Term:	14 Years
[21]	Appl. No.:	781,221
[22]	Filed:	Apr. 12, 1977
[51] [52] [58]	U.S. Cl Field of Sea	D26—05 D48/23 R; D48/4 B D48/23 R, 3, 4 B; D48/23 R, 3, 4 B;
		•
[56]		References Cited
[56]	U.S.	•
D.	U.S. 37,966 4/19 63,540 12/19	References Cited PATENT DOCUMENTS O6 Schepmoes
D.	37,966 4/19 63,540 12/19	References Cited PATENT DOCUMENTS O6 Schepmoes
D. D. 11A,	37,966 4/19 63,540 12/19 OT rgian Art L hanging lar te Lighting	References Cited PATENT DOCUMENTS 06 Schepmoes
D. D. IIA, Hon lamp	37,966 4/19 63,540 12/19 OT rgian Art L hanging lar he Lighting a h. ary Examina	References Cited PATENT DOCUMENTS 06 Schepmoes

DESCRIPTION

The ornamental design for a lighting fixture, substan-

tially as shown and described.

FIG. 1 is a top perspective view of a first embodiment of a lighting fixture showing my new design;

FIG. 2 is a top plan view of the first embodiment of the lighting fixture;

FIG. 3 is a bottom plan view of the first embodiment of the lighting fixture;

FIG. 4 is a side elevational view of the first embodiment of the lighting fixture;

FIG. 5 is a top perspective view of a second embodiment of a lighting fixture showing my new design;

FIG. 6 is a top plan view of the second embodiment of the lighting fixture;

FIG. 7 is a bottom plan view of the second embodiment of the lighting fixture;

FIG. 8 is a side elevational view of the second embodiment of the lighting fixture;

FIG. 9 is a top perspective view of a third embodiment of a lighting fixture showing my new design;

FIG. 10 is a front elevational view of the third embodiment of the lighting fixture;

FIG. 11 is a side elevational view of the third embodiment of the lighting fixture;

FIG. 12 is a rear elevational view of the third embodiment of the lighting fixture.

FIG. 13 is a top plan view of the third embodiment of the lighting fixture;

FIG. 14 is a bottom plan view of the third embodiment of the lighting fixture;


FIG. 15 is a top perspective view of a fourth embodiment of the lighting fixture showing my new design;


FIG. 16 is a side elevational view of the fourth embodiment of the lighting fixture;

FIG. 17 is a bottom plan of the fourth embodiment of the lighting fixture;

FIG. 18 is a top plan view of the fourth embodiment of the lighting fixture; and


FIG. 19 is a fifth embodiment of a lighting fixture showing my new design, similar to the fourth embodiment shown in FIGS. 15–18 and having a different mounting plate.







F/G. /


F/G. 2








F/G. 4





F/G. 5













F/G. 8


F/G. 9




F/G. 13




F/G. 10




F/G. //





F/G. 12





F/G. 14

















F/G. 18



F/G. 19