

[54] PHOTOGRAPHIC CAMERA

[75] Inventors: Jochen Kramer, Wolfsburg; Hans Schonfeld, Wolfsburg-Hattorf; Friedrich Papke, Braunschweig; Paul Greger, Braunschweig; Heinz Hamm, Braunschweig, all of Fed. Rep. of Germany

[73] Assignee: Rollei-Werke Franke & Heidecke, Braunschweig, Fed. Rep. of Germany

[\*\*] Term: 14 Years

[21] Appl. No.: 772,492

[22] Filed: Feb. 28, 1977

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 661,774, Feb. 26, 1976, abandoned, and Ser. No. 721,494, Sep. 8, 1976, abandoned.

[30] Foreign Application Priority Data

Sep. 1, 1975 [DE] Fed. Rep. of Germany ..... 1061  
Mar. 10, 1976 [DE] Fed. Rep. of Germany ..... 1080  
Sep. 8, 1976 [DE] Fed. Rep. of Germany ..... 1104

[51] Int. Cl. .... D16-01

[52] U.S. Cl. .... D16/08

[58] Field of Search .... D16/1-10,  
D16/38; 354/152-158, 162, 170-173, 174, 202,  
288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 178,922 10/1956 Johnson et al. .... D16/9  
D. 216,053 11/1969 Eitischer et al. .... D16/6  
D. 219,407 12/1970 Fukuda et al. .... D16/8  
D. 222,845 1/1972 Matsuda et al. .... D16/8

D. 234,820 4/1975 Kato ..... D16/8  
D. 243,007 1/1977 Uellenberg ..... D16/8


Primary Examiner—Wallace R. Burke  
Assistant Examiner—Catherine Kemper  
Attorney, Agent, or Firm—Charles Shepard

[57] CLAIM

The ornamental design for a photographic camera, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a photographic camera, showing our new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a left side elevational view thereof;  
FIG. 7 is a front elevational view of a second embodiment thereof;  
FIG. 8 is a rear elevational view thereof;  
FIG. 9 is a top plan view thereof;  
FIG. 10 is a bottom view thereof;  
FIG. 11 is a right side elevational view thereof;  
FIG. 12 is a left side elevational view thereof;  
FIG. 13 is a front elevational view of a third embodiment thereof;  
FIG. 14 is a rear elevational view thereof;  
FIG. 15 is a top plan view thereof;  
FIG. 16 is a bottom view thereof;  
FIG. 17 is a right side elevational view thereof;  
FIG. 18 is a left side elevational view thereof; and  
FIG. 19 is an enlarged detail view of the portion of the surface ornamentation indicated by circle 19 in FIG. 1. The surface ornamentation indicated on the major portion of the body of the camera, in each embodiment thereof, and on the adjusting rings on the lens, is a multiplicity of small pyramids arranged in rows and projecting from the surface as is clearly shown in FIG. 19.






FIG. 1




FIG. 2




FIG. 19






FIG. 3






*FIG. 4*



*FIG. 5*



*FIG. 6*




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11






FIG. 12







*FIG. 13*




*FIG. 14*




*FIG. 15*



**FIG. 16**



**FIG. 17**



**FIG. 18**