

[54] TELEPHONE STAND

[75] Inventors: Donald M. Genaro, Haworth, N.J.; John N. McGarvey, Drexel Hill, Pa.; Gordon E. Sylvester, Jamaica, N.Y.

[73] Assignee: Bell Telephone Laboratories, Incorporated, Murray Hill, N.J.

[\*\*] Term: 14 Years

[21] Appl. No.: 854,470

[22] Filed: Nov. 23, 1977

Related U.S. Application Data

[60] Division of Ser. No. 604,592, Aug. 14, 1975, which is a continuation-in-part of Ser. No. 469,855, May 14, 1974, Pat. No. Des. 237,506, which is a continuation-in-part of Ser. No. 424,413, Dec. 13, 1973, abandoned, which is a continuation-in-part of Ser. No. 364,704, May 29, 1973, abandoned.

[51] Int. Cl. .... D14-03  
[52] U.S. Cl. .... D14/60; D14/53  
[58] Field of Search .... D14/60, 57, 53; 179/178, 179, 100 D, 100 R, 100 C, 184 D

References Cited

U.S. PATENT DOCUMENTS

D. 203,750	2/1966	Wharton .....	D14/62
D. 211,739	7/1968	Dreyfus .....	D14/62
D. 224,409	7/1972	Janda .....	D14/58
D. 231,650	5/1974	Eubank et al. ....	D14/60
D. 237,506	11/1975	Genaro et al. ....	D14/60
3,941,951	3/1976	Engstrom .....	179/100 C

Primary Examiner—Bernard Ansher  
Attorney, Agent, or Firm—W. L. Keefauver

CLAIM

[57] The ornamental design for a telephone stand, substantially as shown and described.

DESCRIPTION

FIG. 1 is a side elevation of a telephone stand showing our new design;  
FIG. 2 is a top view taken perpendicular to the face of the telephone stand;

FIG. 3 is a front elevation thereof;  
FIG. 4 is a rear elevation thereof;  
FIG. 5 is a top view taken perpendicular to the face of a second embodiment of the telephone stand illustrated in FIGS. 1 through 4, the side elevation view being essentially the same as that shown in FIG. 1;  
FIG. 6 is a front elevation thereof;  
FIG. 7 is a rear elevation thereof;  
FIG. 8 is a top view taken perpendicular to the face of a third embodiment of the telephone stand illustrated in FIGS. 1 through 4, the side elevation thereof being essentially the same as that shown in FIG. 1;  
FIG. 9 is a front elevation thereof;  
FIG. 10 is a rear elevation thereof;  
FIG. 11 is a top view taken perpendicular to the face of a fourth embodiment of the telephone stand illustrated in FIGS. 1 through 4, the side elevation thereof being essentially the same as that shown in FIG. 1;  
FIG. 12 is a front elevation thereof;  
FIG. 13 is a rear elevation thereof;  
FIG. 14 is a top view taken perpendicular to the face of a fifth embodiment of the telephone stand illustrated in FIGS. 1 through 4, the side elevation being essentially the same as that shown in FIG. 1;  
FIG. 15 is a front elevation thereof;  
FIG. 16 is a rear elevation thereof;  
FIG. 17 is a top view taken perpendicular to the face of a sixth embodiment of the telephone stand illustrated in FIGS. 1 through 4, the side elevation being essentially the same as that shown in FIG. 1;  
FIG. 18 is a front elevation thereof;  
FIG. 19 is a rear elevation thereof;  
FIG. 20 is a top view taken perpendicular to the face of a seventh embodiment of the telephone stand illustrated in FIGS. 1 through 4, the side elevation being essentially the same as that shown in FIG. 1;  
FIG. 21 is a front elevation thereof;  
FIG. 22 is a rear elevation thereof;  
FIG. 23 is a top view taken perpendicular to the face of an eighth embodiment of the telephone stand illustrated in FIGS. 1 through 4, the side elevation being essentially the same as that shown in FIG. 1;  
FIG. 24 is a front elevation thereof;  
FIG. 25 is a rear elevation thereof;  
FIG. 26 is a top view taken perpendicular to the face of a ninth embodiment of the telephone stand illustrated in

**Des. 252,087**

Page 2

---

FIGS. 1 through 4, the side elevation being essentially the same as that shown in FIG. 1;  
FIG. 27 is a front elevation thereof;  
FIG. 28 is a rear elevation thereof; and  
FIG. 29 is a perspective view that is intended to be

common for all embodiments of the invention, the stand being broken across its width to indicate that the only difference between embodiments resides in variations in the width of the stand.

FIG. 1




FIG. 2




FIG. 3






FIG. 4







*FIG. 5*




*FIG. 6*




*FIG. 7*



*FIG. 8*



*FIG. 9*



*FIG. 10*




FIG. 11




FIG. 12






FIG. 13






*FIG. 14*



*FIG. 15*




*FIG. 16*







*FIG. 17*



*FIG. 18*



*FIG. 19*



*FIG. 20*






FIG. 21




FIG. 22






FIG. 23



*FIG. 24*



*FIG. 25*









FIG. 26




*FIG. 27*



*FIG. 28*



*FIG. 29*





UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. No. 252,087

DATED : June 12, 1979

INVENTOR(S) : Donald Michael Genaro et al.

It is certified that error appears in the above—identified patent and that said Letters Patent is hereby corrected as shown below:

The term of this patent subsequent to  
November 4, 1989, has been disclaimed.

**Signed and Sealed this**

*Fifteenth Day of January 1980*

[SEAL]

*Attest:*

**SIDNEY A. DIAMOND**

*Attesting Officer*

*Commissioner of Patents and Trademarks*