
United States Patent [19]


Gill et al.

[11] Des. 252,142

[45] ** Jun. 19, 1979

[54]	TIRE		[56]	I	References Cited		
	· 		U.S. PATENT DOCUMENTS				
[75]	Inventors:	Barrington S. Gill; Claude A. Hart, both of Sutton Coldfield, England	D. 246,641 D. 247,431	12/1977 3/1978	Matsuda et al		
[73]	Assignee:	Dunlop Limited, England	OTHER PUBLICATIONS				
[**]	Term:	14 Years	Cycle World, 2/75, P50, BMW Cycle Tire, bottom left side of page.				
			Primary Examiner—James M. Gandy Attorney, Agent, or Firm—Davidson C. Miller				
	• •		[57]		CLAIM		
[22]	Filed:	Sep. 13, 1977	The ornamental design for a tire, as shown and described.				
[30]	Foreig	DESCRIPTION					
Mar. 16, 1977 [GB] United Kingdom 979290/77			FIG. 1 is a perspective view of a tire showing our new				
[51]	Int. Cl	D12—15	repeated throughout the circumference of the tire as				
[52]	U.S. Cl		shown schematically by solid lines, the opposite side				
[58]	Field of Sea						
, · · · J		D12/145-151; 152/209				,	
[21] [22] [30] Ma	21] Appl. No.: 832,911 22] Filed: Sep. 13, 1977 30] Foreign Application Priority Data Mar. 16, 1977 [GB] United Kingdom			Attorney, Agent, or Firm—Davidson C. Miller [57] CLAIM The ornamental design for a tire, as shown and scribed. DESCRIPTION FIG. 1 is a perspective view of a tire showing our design, it being understood that the tread patter repeated throughout the circumference of the tire.			









FIG. 2



F1G. 3