## Carroll et al.

[45] \*\* Jun. 19, 1979

[54]	TOTE BOX FOR FRUIT OR THE LIKE		
[75]	Invento	ors: Jan Lev	nes C. Carroll, Hopkinsville, Ky.; vis T. Johnson, Bartlesville, Okla.
[73]	Assign		llips Petroleum Company, rtlesville, Okla.
[**]	Term:	14	Years
[21]	Appl. No.: 753,059		
[22]	Filed:	De	c. 28, 1976
[51]	Int. Cl		D87—99
<b>152</b> 1	U.S. C	<u>.</u>	<b>D3/67;</b> D9/243
1581	Field of Search		
D9/219, 177, 183-189; 206/503-509; D19/92			
[56]	[56] References Cited		
U.S. PATENT DOCUMENTS			
D. 205,799 9/19		9/1966	Josephsen D87/1 R
•		6/1968	Gehl et al
		8/1973	Jones
<b>D</b> . 2	236,168	7/1975	Johnson

Primary Examiner—Robert C. Spangler

## [57] CLAIM

The ornamental design for a tote box for fruit or the like, as shown and described.

## **DESCRIPTION**

FIG. 1 is a top perspective view of a tote box for fruit or the like showing our new design;

FIG. 2 is a top plan view;

FIG. 3 is a bottom plan view;

FIG. 4 is an elevational view of one side;

FIG. 5 is an elevational view of one end;


FIG. 6 is an elevational view of the side opposite the side shown in FIG. 4;

FIG. 7 is an elevational view of the end opposite the end shown in FIG. 5;

FIGS. 8 and 9 are side and end elevational views respectively, corresponding respectively to the side view shown in FIG. 4 and the end view in FIG. 5, and showing a modified form of our new design wherein the only modification is the provision of the openings or perforations shown; and where in said modified form of the design the side opposite that shown in FIG. 8 and the end opposite that shown in FIG. 9, which correspond respectively to the side shown in FIG. 6 and the end shown in FIG. 7, are also provided with openings or perforations like those in FIGS. 8 and 9;

FIG. 10 is an enlarged cross sectional view taken along the line 10—10 of FIG. 4; and

FIG. 11 is an enlarged cross sectional view taken along the line 11—11 of FIG. 4.









FIG. 1




F/G. 2



F/G. 3



Jun. 19, 1979



U.S. Patent

