EYEGLASS HOLDER

Des. 252,210 [11]

Zins et al.

FIG. 4 is a front view of the eyeglass holder of FIG. 1;

FIG. 5 is a side view of the eyeglass holder of FIG. 1

FIG. 6 is a rear view of the eyeglass holder of FIG. 1;

FIG. 7 is a side view of the eyeglass holder of FIG. 1

taken from the right side of FIG. 4;

taken from the left side of FIG. 4;

[45] ** Jun. 26, 1979

FIG. 8 is a front view, similar to FIG. 4, of an alterna-

FIG. 28 is a bottom plan view of the embodiment of

FIG. 29 is a rear view of the embodiment of FIG. 26;

FIG. 30 is a side view of the embodiment of FIG. 26

taken from the left side thereof;

[34] EIEGLASS HOLDER		1.10. 6 15 & HOME VICH, SMIRME to 1 10. 4, 01 am according	
Brook	el I. Zins, 2157 West St., klyn, N.Y. 11223; Val Cuocolo, sper St., Staten Island, N.Y.	tive embodiment of the design shown in FIGS. 1-7; FIG. 9 is a side view of the embodiment of FIG. 8 taken from the right side thereof; FIG. 10 is a rear view of the embodiment of FIG. 8; FIG. 11 is a side view of the embodiment of FIG. 8	
[**] Term: 14 Ye	ears	taken from the left side thereof;	
[21] Appl. No.: 872,7	44	FIG. 12 is a top plan view of the embodiment of FIG. 8;	
[22] Filed: Jan.	26, 1978	FIG. 13 is a bottom plan view of the embodiment of	
		FIG. 8; FIG. 14 is a front view, similar to FIG. 4, of another	
[52] U.S. Cl		alternative embodiment of the design shown in FIGS.	
211/13; 248/300, 309, DIG. 2; 206/5		1-7;	
[56] Refe	erences Cited	FIG. 15 is a side view of the embodiment of FIG. 14 taken from the right side thereof;	
U.S. PATENT DOCUMENTS		FIG. 16 is a rear view of the embodiment of FIG. 14;	
D. 196,812 11/1963 Byers		FIG. 17 is a side view of the embodiment of FIG. 14 taken from the left side thereof; FIG. 18 is a top plan view of the embodiment of FIG. 14:	
FOREIGN PATENT DOCUMENTS		FIG. 19 is a bottom plan view of the embodiment of FIG. 14:	
	ited Kingdom 248/300	FIG. 20 is a front view, similar to FIG. 4, of still another	
Primary Examiner—Susan J. Lucas Attorney, Agent, or Firm—Lawrence G. Kurland		alternative embodiment of the design shown in FIGS. 1-7; FIG. 21 is a rear view of the embodiment of FIG. 20	
[57]	CLAIM	FIG. 22 is a top plan view of the embodiment of FIG.	
The ornamental design for an eyeglass holder, as shown and described.		20; FIG. 23 is a bottom plan view of the embodiment of FIG. 20;	
DESCRIPTION		FIG. 24 is a side view of the embodiment of FIG. 20	
FIG. 1 is a perspective view of the presently preferred embodiment of an eyeglass holder embodying our new design; FIG. 2 is a top plan view of the eyeglass holder of FIG. 1; FIG. 3 is a bottom plan view of the eyeglass holder of FIG. 1.		taken from the left side thereof; FIG. 25 is a side view of the embodiment of FIG. 20 taken from the right side thereof; FIG. 26 is a front view, similar to FIG. 4, of a further alternative embodiment of the design shown in FIGS. 1-7; FIG. 27 is a top plan view of the embodiment of FIG.	
FIG. 1;		A.Z.	

26;

FIG. 26;

FIG. 31 is a side view of the embodiment of FIG. 26 taken from the right side thereof;

FIG. 32 is a top plan view of another alternative embodiment of the design shown in FIGS. 1-7, the bottom plan view being similar thereto;

FIG. 33 is a front view of the embodiment of FIG. 32; FIG. 34 is a side view of the embodiment of FIG. 32 taken from the right side thereof; and FIG. 35 is a side view of the embodiment of FIG. 32

taken from the left side thereof.

•





FIG. 11.







FIG. 20.






FIG. 24. FIG. 25.







FIG. 27.



F1G. 29.




F1G. 32.



F1G. 34.

FIG. 21.



F1G. 23.




FIG. 26.




FIG. 28.




FIG. 30. FIG. 31.





FIG. 33.



F1G. 35.