

[54] ELECTRONIC HEMADYNAMOMETER

[75] Inventors: **Yoshihisa Ohie; Tsutomu Yamasaki,**  
both of Osaka, Japan

[73] Assignee: **Sharp Corporation,** Osaka, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **962,151**

[22] Filed: **Nov. 20, 1978**

[30] Foreign Application Priority Data

May 24, 1978 [JP] Japan ..... 53-21472

[51] Int. Cl. .... **D24-02**

[52] U.S. Cl. .... **D24/17; D24/8;**  
**D24/21**

[58] Field of Search ..... **128/2.05 A, 2.05 M,**  
**128/2.05 G; D24/17, 8, 21; D10/52**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 238,971	2/1976	Nardi et al. ....	D24/8
D. 244,637	6/1977	Gray .....	D24/17
D. 245,334	8/1977	Walstrom .....	D24/17
D. 248,490	7/1978	Manno .....	D24/8 X
3,905,353	9/1975	Lichowsky .....	128/2.05 M
4,005,701	2/1977	Aisenberg et al. ....	128/2.05 G
4,106,002	8/1978	Hogue, Jr. ....	128/2.05 G
4,117,835	10/1978	Williams et al. ....	128/2.05 A



*Primary Examiner*—Bernard Ansher  
*Attorney, Agent, or Firm*—Paul D. Flehr

[57] CLAIM

The ornamental design for an electronic hemadynamometer, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of the electronic hemadynamometer showing our new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a right side elevational view thereof; and  
FIG. 6 is a bottom plan view thereof.







FIG\_1




FIG\_3




FIG\_4



FIG\_2



FIG\_6



FIG\_5