

[54] BELT BUCKLE

[75] Inventor: Fritz Hoch, Pforzheim, Fed. Rep. of Germany

[73] Assignee: Gutos Metallschliessenfabrik Bader & Hoch KG

[**] Term: 3 1/4 Years

[21] Appl. No.: 786,018

[22] Filed: Apr. 8, 1977

[51] Int. Cl. D02-07

[52] U.S. Cl. D2/418

[58] Field of Search D2/380-394, D2/422, 451, 405, 452; 24/201 HC, 115 R, 163 R, 75, 78; 403/209, 213

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|-----------|---------|---------------------|----------|
| 348,166 | 8/1886 | Kitchel | 24/115 R |
| 836,213 | 11/1906 | Rayman | D2/422 |
| 2,324,430 | 7/1943 | Schalet et al. | 24/75 |

FOREIGN PATENT DOCUMENTS

| | | | |
|--------|---------|----------------------------|-------|
| 152930 | of 1938 | Fed. Rep. of Germany | 24/75 |
|--------|---------|----------------------------|-------|



Primary Examiner—Joel Stearman
Assistant Examiner—Carmen H. Vales
Attorney, Agent, or Firm—Michael J. Striker

[57] CLAIM

The ornamental design for a belt buckle, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a belt buckle illustrating my new design;
FIG. 2 is a top-plan view, the bottom plan view being a mirror image thereof;
FIG. 3 is a rear view thereof; and
FIG. 4 is an exploded perspective view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4