

[54] **INSULATED BOTTLE**
 [76] Inventor: **John S. Doyel**, 404 W. 20th St., New York, N.Y. 10011
 [**] Term: **14 Years**
 [21] Appl. No.: **807,596**
 [22] Filed: **Jun. 17, 1977**
 [51] Int. Cl. **D07-01**
 [52] U.S. Cl. **D7/77**
 [58] Field of Search **D7/51-62, D7/63-67, 41, 76, 77**

D. 202,072 8/1965 Hunter D7/77
 D. 206,914 2/1967 Phillips D7/77
 3,245,565 4/1966 Zeppenfeld et al. D7/77 X
 3,820,695 6/1974 Pecjak D7/77 X

Primary Examiner—Winifred E. Herrmann
Attorney, Agent, or Firm—Lester W. Clark

[57] **CLAIM**

The ornamental design for an insulated bottle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an insulated bottle showing my new design.
 FIG. 2 is an exploded side elevational view thereof.
 FIG. 3 is a top plan view thereof.
 FIG. 4 is a back elevational view thereof.
 The bottom of the design is flat and unornamented.
 Portions of the strap in FIGS. 1, 2, and 4 are shown by broken lines to represent variable length thereof.

[56] **References Cited**
U.S. PATENT DOCUMENTS
 D. 49,420 7/1916 Curtiss D7/77
 D. 148,179 12/1947 Meshberg D7/51
 D. 182,852 5/1958 Russell D7/77
 D. 194,636 2/1963 Conkle D7/61




Fig. 1.




Fig. 2.





Fig. 3.




Fig. 4.