

[54] WALL UNIT FOR A CORNER SHOWER

[76] Inventor: **Heinz G. Baus**, Ulmenweg 46, Thun (Bern), Switzerland

[\*\*] Term: **14 Years**

[21] Appl. No.: **829,828**

[22] Filed: **Sep. 1, 1977**

[30] Foreign Application Priority Data

Mar. 5, 1977 [DE] Fed. Rep. of Germany ..... 193

[51] Int. Cl. .... **D23-02**

[52] U.S. Cl. .... **D23/69**

[58] Field of Search ..... **D23/48-50, D23/55-57, 69; 4/2, 4, 5, 145, 146, 148, 149, 161, 162, 173, 175, 178, 180, 185 R**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 204,126	3/1966	Brenner	.....	D23/57
D. 221,549	8/1971	Young	.....	D23/69
D. 239,626	4/1976	Verlet	.....	D23/57
D. 239,627	4/1976	Verlet	.....	D23/57

OTHER PUBLICATIONS

House & Home, Feb. 1968, p. 107, top right item.

Primary Examiner—James R. Largen


Attorney, Agent, or Firm—Herbert L. Lerner

[57] CLAIM

The ornamental design for a wall unit for a corner shower, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wall unit for a corner shower showing my new design;  
 FIG. 2 is a front perspective view of the front wall thereof, showing the sliding doors in an open position;  
 FIG. 3 is a rear perspective view of FIG. 2;  
 FIG. 4 is a front elevational view of one of the sliding doors thereof;  
 FIG. 5 is a top plan view of FIG. 4;  
 FIG. 6 is a bottom plan view of FIG. 4;  
 FIG. 7 is a side elevational view of FIG. 4;  
 FIG. 8 is a front elevational view of the front frame thereof;  
 FIG. 9 is a top plan view of FIG. 8;  
 FIG. 10 is a bottom plan view of FIG. 8;  
 FIG. 11 is a side elevational view of FIG. 8;  
 FIG. 12 is a rear elevational view of FIG. 8;  
 FIG. 13 is a front perspective view of side wall thereof;  
 FIG. 14 is a front elevational view of FIG. 13;  
 FIG. 15 is a top plan view of FIG. 13;  
 FIG. 16 is a right side elevational view of FIG. 13;  
 FIG. 17 is a rear elevational view of FIG. 13;  
 FIG. 18 is a left side elevational view of FIG. 13;  
 FIG. 19 is a perspective view of a modified form of the wall unit for a corner shower shown in FIG. 1;  
 FIG. 20 is a perspective view of a second modified form of the wall unit for a corner shower shown in FIG. 1;  
 FIG. 21 is a perspective view of a third modified form of the wall unit for a corner shower shown in FIG. 1;  
 FIG. 22 is a perspective view of a fourth modified form of the wall unit for a corner shower shown in FIG. 1;  
 FIG. 23 is a perspective view of a fifth modified form of the wall unit for a corner shower shown in FIG. 1; and  
 FIG. 24 is a perspective view of a sixth modified form of the wall unit for a corner shower shown in FIG. 1.






Fig. 1




Fig. 2




Fig. 3

Fig. 5



Fig. 4




Fig. 6




Fig. 7






Fig. 9




Fig. 8




Fig. 11




Fig. 10




Fig. 12




Fig. 13



Fig. 15




Fig. 14

Fig. 16




Fig.17

Fig.18




Fig. 19




Fig.20




Fig. 21




Fig. 22




Fig. 23




Fig. 24