

[54] COMBINED MESSAGE HOLDER AND SIGNAL

[75] Inventor: Walter I. Bieger, St. Paul, Minn.

[73] Assignee: Arthur Salm Inc., St. Paul, Minn.

[**] Term: 14 Years

[21] Appl. No.: 798,435

[22] Filed: May 19, 1977

[51] Int. Cl. D19-02

[52] U.S. Cl. D19/65; D10/2; D10/15; D19/75

[58] Field of Search D19/21, 22, 65, 75, D19/76, 90-92; D10/1-4, 26, 104, 109, 114, 15, 20; 340/311, 321, 331, 153

[56] References Cited

U.S. PATENT DOCUMENTS

D. 161,840	2/1951	Hopp	D19/90
D. 230,320	2/1974	Lowery et al.	D19/75
D. 233,261	10/1974	Magowski	D19/90
D. 245,765	9/1977	Yoshida	D10/2

Primary Examiner—Joel Stearman
Assistant Examiner—George P. Word
Attorney, Agent, or Firm—Sidney Neuman

[57] CLAIM

The ornamental design for a combined message holder and signal, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a combined message holder and signal showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right end elevational view, the left end being a mirror image thereof.





FIG. 1




FIG. 2




FIG. 3

FIG. 4




FIG. 5

