

[54] **PORTABLE HEAT SEALER**

[75] Inventor: **Anthony J. Lombardi**, Flanders, N.J.

[73] Assignee: **Barney Knitting Machinery Co., Inc.**,  
Brooklyn, N.Y.

[\*\*] Term: **14 Years**

[21] Appl. No.: **800,101**

[22] Filed: **May 24, 1977**

[51] Int. Cl. .... **D15-99**

[52] U.S. Cl. .... **D15/146**

[58] Field of Search ..... **D15/122, 124-136,**  
**D15/138-140, 144-146, 199; 156/515, 583.1,**  
**583.9**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

3,597,587	8/1971	Baum .....	156/583.9
3,962,017	6/1976	Wyse .....	156/583.9
4,045,272	8/1977	Lombardi .....	156/583.9

4,082,941 4/1978 Sukow et al. .... 156/515

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—B. J. Bullock  
*Attorney, Agent, or Firm*—Menotti J. Lombardi

[57] **CLAIM**

The ornamental design for a portable heat sealer, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a reduced perspective view of a portable heat sealer showing my new design, the movable heat sealer arm being in the open upward position;

FIG. 2 is an enlarged perspective view, the movable heat sealer arm in the sealing position;


FIG. 3 is a top plan view of FIG. 2;


FIG. 4 is a side elevational view taken from the left of FIG. 2;

FIG. 5 is a side elevational view taken from the right of FIG. 2;


FIG. 6 is an enlarged rear perspective view of FIG. 2;

FIG. 7 is a reduced bottom plan view of FIG. 2.






*Fig. 2*




*Fig. 1*


*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 6*

