

[54] COMBINED FIREPLACE ENCLOSURE AND STOVE

[76] Inventor: Carrol E. Buckner, Rte. 2, Weaverville, N.C. 28787

[**] Term: 14 Years

[21] Appl. No.: 845,709

[22] Filed: Oct. 26, 1977

[51] Int. Cl. D23-03; D7-08

[52] U.S. Cl. D23/94; D7/208

[58] Field of Search D23/72, 93, 94, 95, D23/96, 97, 127, 128; D7/208; 126/120, 121, 123, 65, 66, 58, 60, 62, 126, 190, 138, 202; 160/DIG. 8, 351

[56] References Cited

U.S. PATENT DOCUMENTS

D. 244,136	4/1977	Buckner	D23/107
D. 244,251	5/1977	McCallum	D7/208
D. 247,446	3/1978	Buckner	D23/97
4,026,264	5/1977	Henriques	126/123
4,095,582	6/1978	Edwards	126/202 X

OTHER PUBLICATIONS

Housewares Review, Jun. 1952, p. 56, Firescreen.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Catherine Kemper
Attorney, Agent, or Firm—Perry Palan

[57] CLAIM

The ornamental design for a combined fireplace enclosure and stove, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined fireplace enclosure and stove showing my new design; FIG. 2 is a left side elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a front elevational view of a second embodiment thereof, wherein the only difference resides in the use of glass panelled doors; FIG. 6 is a perspective view of a third embodiment thereof, wherein the only difference resides in the use of a mesh firescreen instead of doors; FIG. 7 is a perspective view of a fourth embodiment thereof wherein the only difference resides in the use of a glass firescreen; and FIG. 8 is a front elevational view of a combined fireplace enclosure and stove, shown without a closure. The mesh pattern shown on the firescreen in FIG. 6 is understood to repeat continuously across the entire indicated surface.




FIG. 1




FIG. 5




FIG. 2




FIG. 3





FIG. 4






FIG. 6




FIG. 7




FIG. 8