

[54] INTRUSION ALARM HOUSING

[75] Inventor: Douglas K. Ewald, Greeley, Colo.

[73] Assignee: Teledyne Industries, Inc., Ft. Collins, Colo.

[**] Term: 14 Years

[21] Appl. No.: 900,928

[22] Filed: Apr. 28, 1978

[51] Int. Cl. D10-05

[52] U.S. Cl. D10/106

[58] Field of Search D10/104, 106, 121; 340/500, 506, 511, 514, 541, 545, 546, 547, 551, 552, 555, 556, 558, 561, 565, 577, 578, 584, 586, 587, 593, 595, 628, 629

[56]

References Cited

U.S. PATENT DOCUMENTS

3,938,120	2/1976	O'Connell	340/545
4,091,371	5/1978	Mason et al.	340/546

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Hugh H. Drake


[57]


CLAIM

The ornamental design for an intrusion alarm housing, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of an intrusion alarm housing embodying the new design; FIG. 2 is a side elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a perspective view thereof; and FIG. 6 is a perspective view thereof on a reduced scale, the door and door knob being shown in broken lines for illustrative purposes only.







Fig_1




Fig_2




Fig_3



Fig_4



Fig_5



Fig_6