

[54] VEHICLE DISC BRAKE SHOE

[75] Inventors: Peter J. Soltis, Plymouth; Peter H. Raves, Westland, both of Mich.

[73] Assignee: Kelsey-Hayes Company, Romulus, Mich.

[**] Term: 14 Years

[21] Appl. No.: 878,055

[22] Filed: Feb. 15, 1978

[51] Int. Cl. D12-16

[52] U.S. Cl. D12/180

[58] Field of Search D12/179, 180; 188/250 R, 250 H, 250 E, 250 G, 250 B, 250 A, 218 XL, 73.1, 73.2, 73.3

[56] References Cited

PUBLICATIONS

Brake & Front End, 5/77, p. 6, Disc Brake Pad, 2, center of page.

Brake & Front End, 7/77, p. 28, Disc Brake Pad, 2, bottom left side of page.

Brake & Front End, 7/77, p. 28, Disc Brake Pad, 4, bottom right side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Ralph J. Skinkiss

[57] CLAIM

The ornamental design for a vehicle disc brake shoe, substantially as shown and described.


DESCRIPTION


FIG. 1 is a front perspective view of a vehicle disc brake shoe embodying our new design.

FIG. 2 is an inverted rear perspective view thereof.


FIG. 3 is an enlarged cross-sectional view thereof taken along line 3—3 in FIG. 1.

FIG. 4 is a front perspective view of a vehicle disc brake shoe showing a second embodiment of our new design, the differences being in the vertical groove cut into the front planar surface and the beveled end portion.







—FIG. 1



—FIG. 2



—FIG. 3



—FIG. 4