

[54] COMBINED HOOK AND ANCHORAGE PLATE

[75] Inventor: Lars O. A. Fredriksson, Växjö, Sweden

[73] Assignee: K A Bergs Smide AB, Gelma, Sweden

[\*\*] Term: 14 Years

[21] Appl. No.: 716,192

[22] Filed: Aug. 20, 1976

[30] Foreign Application Priority Data

Mar. 8, 1976 [SE] Sweden ..... 760519

[51] Int. Cl. .... D8-08

[52] U.S. Cl. .... D8/367

[58] Field of Search ..... D8/367, 382, 385; 248/119 R, 500, 503; 294/82 R; 280/179 R; 105/464, 473, 475, 483, 481; 24/230.5

[56] References Cited

U.S. PATENT DOCUMENTS

D. 226,167	1/1973	Del Ponte .....	D8/367
3,223,375	12/1965	Bernasconi .....	105/475
3,239,237	3/1966	Spencer .....	280/179 R

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—Hubbell, Cohen, Stiefel & Gross

[57] CLAIM

The ornamental design for a combined hook and anchorage plate, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a combined hook and anchorage plate showing my new design; FIG. 2 is a side perspective view thereof opposite to that shown in FIG. 1; FIG. 3 is a top plan view thereof; and FIG. 4 is a sectional view thereof taken along line 4—4 in FIG. 1. The rear of the anchorage plate is substantially flat and unornamented.




FIG. 1.




FIG. 2.




FIG.3




FIG.4

