## United States Patent [19]

## Berman et al.

[11] Des. 254,546

[45] \*\* Mar. 25, 1980

| [54]   | CUSTOMER ACTIVATED TERMINAL ENCLOSURE |   |  |  |  |  |  |
|--|---------------------------------------|---|--|--|--|--|--|
| [75]   | Inventors:                            | James S. Berman, New York; Sigurd Stegmaier, Malverne, both of N.Y. |  |  |  |  |  |
| [73]   | Assignee:                             | Citibank, N.A., New York, N.Y.                                      |  |  |  |  |  |
| [**]   | Term:                                 | 14 Years  |  |  |  |  |  |
| [21]   | Appl. No.:                            | 875,943   |  |  |  |  |  |
| [22]   | Filed:                                | Feb. 7, 1978  |  |  |  |  |  |
| [51] Int. Cl. D14—02<br>[52] U.S. Cl. D14/42<br>[58] Field of Search 340/149 A, 152 R;<br>235/379, 381; D14/40-51; D64/11 R; D99/28,<br>43 |                                       |   |  |  |  |  |  |
| [56]   |                                       | References Cited  |  |  |  |  |  |
| U.S. PATENT DOCUMENTS  |                                       |   |  |  |  |  |  |
| D. 24  | 15,023 7/19                           | 77 Hermann D14/42   |  |  |  |  |  |

| 3,943,335  | 3/1976      | Kinker et al.  | •••••    | 340/149 A  | X   |  |  |  |
|--|-------------|----------------|----------|------------|-----|--|--|--|
| Primary Examiner—Susan J. Lucas Attorney, Agent, or Firm—Morgan, Finnegan, Pine, Foley & Lee |             |                |          |            |     |  |  |  |
| [57]   |             | CLAIM          |          |            |     |  |  |  |
| The orname   | ental desig | gn for a custo | mer acti | vated tern | ni- |  |  |  |

The ornamental design for a customer activated terminal enclosure, as shown and described.


## **DESCRIPTION**


FIG. 1 is a front elevational view of a customer activated terminal enclosure showing our new design; FIG. 2 is a side elevational view thereof, the opposite

side being identical;

FIG. 3 is a front elevational view of a second embodiment of our design; and

FIG. 4 is a front perspective view of the customer activated terminal enclosure of FIG. 1 on an enlarged scale. Each side of the second embodiment of our design is identical to that shown in FIG. 2. The rear, top and bottom of both embodiments are unornamented.








FIG.2





FIG.3



Mar. 25, 1980

FIG.4

.