

[54] **ELECTROOPTIC DIGITAL ALARM FACE**
 [75] Inventor: **Roland C. Pummer**, Hightstown, N.J.
 [73] Assignee: **Timex Corporation**, Waterbury, Conn.
 [**] Term: **14 Years**
 [21] Appl. No.: **838,525**
 [22] Filed: **Oct. 3, 1977**
 [51] Int. Cl. **D10-07**
 [52] U.S. Cl. **D10/125; D10/15 X**
 [58] Field of Search **D10/1, 2, 15, 38, 122-128; 58/152 R, 127 R, 126 A, 50 R, 23 R, 126 R, 125 B, 16 D, 53-56, 128**

Attorney, Agent, or Firm—William C. Crutcher

[57] **CLAIM**

The ornamental design for an electrooptic digital alarm face, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an electrooptic digital alarm face showing my new design in a non-energized condition.
 FIG. 2 is a top plan view thereof,
 FIG. 3 is a side elevation view thereof,
 FIG. 4 is a back elevation view thereof,
 FIG. 5 is a front elevation view thereof showing the electrooptic digital alarm face in a representative energized state, displaying the time of day as **2:48 PM**,
 FIG. 6 is a front elevation view showing the face in a representative energized state, with the alarm set for **6:30 AM**, and
 FIG. 7 is a front elevation view showing the face in a representative energized state with alarm set as in FIG. 6, showing time of day as **6:39 AM**, and showing "ZZZ" (or repeat alarm) indicator.

[56] **References Cited**
U.S. PATENT DOCUMENTS

D. 250,999	2/1979	Karibe	D10/125
1,760,760	5/1930	Long	58/126 A X
3,978,296	8/1976	Moriya	58/23 R X

Primary Examiner—Nelson C. Holtje






FIG. 2




FIG. 1



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7