

[54] **DISPENSER FOR AIR-TREATING MATERIAL**
 [75] Inventors: **Arthur W. Müller, Reinach; Max A. Hässle, Binningen, both of Switzerland**

2,708,595	5/1955	Ludwig	239/57
2,836,462	5/1958	Wenner	239/57
3,286,872	11/1966	Burdick, Jr.	239/58
3,754,707	8/1973	Morane	239/58
4,014,501	3/1977	Buckenmayer	239/58

[73] Assignee: **Airwick Industries, Inc., Carlstadt, N.J.**

[**] Term: **14 Years**

[21] Appl. No.: **888,433**

[22] Filed: **Mar. 20, 1978**

[30] **Foreign Application Priority Data**

Sep. 23, 1977 [CH] Switzerland 109458/77

[51] Int. Cl. **D23-04**

[52] U.S. Cl. **D23/150**

[58] Field of Search **D23/145-150; 239/44-60**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 84,785	8/1931	Keim	D23/150
D. 204,756	5/1966	Farrell	D23/150
D. 246,316	11/1977	Hadtke	D23/150
2,555,047	5/1951	Logue	239/57 X
2,657,090	10/1953	Meek	239/55

FOREIGN PATENT DOCUMENTS

524042 1/1946 United Kingdom 239/57

Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Harry Falber

[57] **CLAIM**

The ornamental design for dispenser for air treating material, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a dispenser for air treating material showing our new design;
 FIG. 2 is a bottom perspective view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a side elevational view thereof;
 FIG. 5 is a side elevational view taken 90° from FIG. 4;
 FIG. 6 is an elevational view taken from the side opposite that shown in FIG. 5;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a side elevational view taken 45° from FIG. 4; and
 FIG. 9 is a bottom plan view of a modified form of the dispenser for air-treating material shown in FIG. 1.




Fig. 1




Fig. 2







Fig. 8




Fig. 9

