

[54] COMBINED CARRYING AND RETAINING DEVICE FOR SHOES

[76] Inventor: Ivor J. Allsop, 2079 N. Shore Rd., Bellingham, Wash. 98225

[**] Term: 14 Years

[21] Appl. No.: 848,099

[22] Filed: Nov. 3, 1977

[51] Int. Cl. D3-02

[52] U.S. Cl. D3/36

[58] Field of Search D87/1 R; 224/45 S, 45 R; 280/11.38; 211/34-38; 12/120.5; D3/30, 36; D6/252

[56] References Cited

U.S. PATENT DOCUMENTS

- 3,210,787 10/1965 Allsop 12/120.5
- 3,425,564 2/1969 Allsop 211/37

- 3,478,890 11/1969 Allsop 211/37
- 3,729,760 5/1973 Allsop 12/120.5
- 3,870,153 3/1975 Allsop et al. 211/37
- 3,909,718 9/1975 Allsop et al. 224/45 S
- 3,958,695 5/1976 Allsop et al. 211/37

Primary Examiner—Joel Stearman
Assistant Examiner—George P. Word

[57] CLAIM

The ornamental design for a combined carrying and retaining device for shoes, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a combined carrying and retaining device for shoes showing my new design, the opposite sides not shown being mirror images of the sides shown;

FIG. 2 is a top plan view thereof;

FIG. 3 is a side elevational view thereof with the heel and toe pieces shown in operative positions; and

FIG. 4 is a bottom plan view of the base member.






FIG. 1

FIG. 2




FIG. 3




FIG. 4

