

- [54] **VEHICLE DISC BRAKE SHOE**
- [75] Inventors: **Thomas D. Weiser**, Dearborn; **Kurt H. Rinker**, Ann Arbor, both of Mich.
- [73] Assignee: **Kelsey Hayes Co.**, Romulus, Mich.
- [**] Term: **14 Years**
- [21] Appl. No.: **882,497**
- [22] Filed: **Mar. 1, 1978**
- [51] Int. Cl. **D12-16**
- [52] U.S. Cl. **D12/180**
- [58] Field of Search **D12/170, 180;**
188/250 R, 250 H, 250 E, 250 G, 250 B, 250 A,
218 R, 218 XL, 73.1, 73.2, 73.3

[56] **References Cited**
PUBLICATIONS

Brake & Front End, 2/77, p. 26, Disc Brake Shoe, bottom of page.

Brake & Front End, 7/77, p. 28, Disc Brake Shoe, 4, bottom right side of page.


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Ralph J. Skinkiss



[57] **CLAIM**


The ornamental design for a vehicle disc brake shoe, substantially as shown and described.

DESCRIPTION


FIG. 1 is a front perspective view of a vehicle disc brake shoe embodying our new design.
 FIG. 2 is an inverted rear perspective view thereof.
 FIG. 3 is an enlarged cross-sectional view thereof taken along line 3—3 in FIG. 2.
 FIG. 4 is a front perspective view of a vehicle disc brake shoe showing a second embodiment of our new design the difference being in the two vertical grooves cut in the front planer surface and the beveled end portion and the configuration of the upper edge of the shoe.







—FIG. 3



—FIG. 4