

[54] **CLOCK**

[75] Inventor: **Dietrich Lubs**, Bad Homburg, Fed. Rep. of Germany

[73] Assignee: **Braun Aktiengesellschaft**, Kronberg, Fed. Rep. of Germany

[**] Term: **14 Years**

[21] Appl. No.: **915,101**

[22] Filed: **Jun. 13, 1978**

[30] **Foreign Application Priority Data**

Dec. 13, 1977 [DE] Fed. Rep. of Germany ... 73 MR8670

[51] Int. Cl. **D10-01**

[52] U.S. Cl. **D10/26**

[58] Field of Search D10/1, 2, 15, 18, 21-23,
D10/24-26, 122-126; 58/53-56, 88 R, 88 G, 88
W, 50 R, 23 R, 126 R, 126 A, 127 R

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 145,352 8/1946 Collura D10/1
D. 173,302 10/1954 Bruce D10/26

OTHER PUBLICATIONS

Jeweler's Circular-Keystone, Mar. 1972, p. 27, Clock at bottom.

European Jeweler, May 1974, p. 44, Clock at bottom right.

Jeweler's Circular-Keystone, Mar. 1977, p. 23, Clock—.

Primary Examiner—Nelson C. Holtje

Attorney, Agent, or Firm—Richard C. Sughrue

[57] **CLAIM**

The ornamental design for a clock, as shown.

DESCRIPTION

FIG. 1 is a top and right front perspective view of a clock showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a front elevational view thereof with the rocker switch on the top depressed forwardly;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a right side elevational view of FIG. 3;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 8






FIG 9