

[54] HEAT EXCHANGER

4,085,727 4/1978 Gillpatrick 126/121

[76] Inventor: Garold L. Wormington, 600 S. Scenic, Springfield, Mo. 65802

Primary Examiner—Catherine E. Kemper
Attorney, Agent, or Firm—James R. Head

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 864,923

The ornamental design for a heat exchanger, as shown and described.

[22] Filed: Dec. 27, 1977

DESCRIPTION

[51] Int. Cl. D23—03

FIG. 1 is a top plan view of a heat exchanger, showing my new design;

[52] U.S. Cl. D23/115

FIG. 2 is a front elevational view thereof;

[58] Field of Search D23/93-97,

FIG. 3 is a side elevational view thereof;

D23/112-115, 136-138; 126/120, 121, 164;

FIG. 4 is a rear elevational view thereof;

98/40 U, 40 UM, 103, 108, 110-113, 121 A, 121

FIG. 5 is a bottom plan view thereof;

R



FIG. 6 is an elevational view of the side opposite that shown in FIG. 3.

[56] References Cited

The conventional cord element has been shown fragmentarily in FIGS. 1, 2, 4, 5 and 6 for convenience of illustration.

U.S. PATENT DOCUMENTS

4,049,196 9/1977 Bergami et al. 126/121 X






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6