## [54] FIREPLACE HOOD

[76] Inventor: Rex M. Brown, 435 E., 1st N.,

Smithfield, Utah 84335

[\*\*] Term: 14 Years
[21] Appl. No.: 874,543

[22] Filed: Feb. 1, 1978

#### Related U.S. Application Data

[63] Continuation of Ser. No. 749,298, Dec. 10, 1976, abandoned, which is a continuation of Ser. No. 606,064, Aug. 20, 1975, abandoned, which is a continuation-in-part of Ser. No. 538,100, Jan. 2, 1975, abandoned.

| [51] | Int. Cl          | D23—03                         |
|------|------------------|--------------------------------|
| [52] | U.S. Cl          | <b>D23/151;</b> D23/95         |
| [58] | Field of Search  | D23/72, 77, 93, 94,            |
|      | D23/151, 73, 127 | , 195; 126/142, 135, 120, 121, |
|      |                  | 202; 219/370; 237/51           |

# [56] References Cited

### U.S. PATENT DOCUMENTS

| 1,706,142 | 3/1929  | Byrne    | 126/121 |
|-----------|---------|----------|---------|
| 1,766,601 | 6/1930  | Cesa     |         |
| 1,987,252 | 1/1935  | Cage     | 126/121 |
|           |         | Campbell |         |
| 3,059,563 | 10/1962 | Larson   | D23/151 |
| 4,112,914 | 9/1978  | Brown    | 126/121 |

Primary Examiner—Wallace R. Burke Assistant Examiner—B. J. Bullock Attorney, Agent, or Firm—Robert C. Collins

# [57] CLAIM

An ornamental design for a fireplace hood, as shown and described.

#### **DESCRIPTION**

FIG. 1 is a perspective view of a fireplace hood showing my new design, the portion of a wall and fireplace are shown in broken lines for illustrative purposes only;

FIG. 2 is a front elevational view of FIG. 1;

FIG. 3 is a rear elevational view of FIG. 1;

FIG. 4 is a top plan view of FIG. 1;

FIG. 5 is a side elevational view of FIG. 1;

FIG. 6 is a bottom plan view of FIG. 1;

FIG. 7 is a perspective view of a second embodiment of the design of FIG. 1;

FIG. 8 is a front elevational view of FIG. 7;

FIG. 9 is a rear elevational view of FIG. 7;

FIG. 10 is a top plan view of FIG. 7;

FIG. 11 is a side elevational view of FIG. 7;

FIG. 12 is a bottom plan view of FIG. 7;

FIG. 13 is a perspective view of a third embodiment of the design of FIG. 1;

FIG. 14 is an enlarged side elevational view of FIG. 13;

FIG. 15 is a front elevational view of the embodiment of

FIG. 13, the rear being identical to FIG. 3;

FIG. 16 is a top plan view of FIG. 13; FIG. 17 is a bottom plan view of FIG. 13;

FIG. 18 is a front elevational view of a fourth embodiment of the design of FIG. 1, the rear being identical to FIG. 3;


FIG. 19 is a side elevational view of FIG. 18;

FIG. 20 is a top plan view of FIG. 18, the bottom being identical to FIG. 6;

FIG. 21 is a front elevational view of a fifth embodiment of the design of FIG. 1, the rear being identical to FIG. 9;

FIG. 22 is a side elevational view of FIG. 21;

FIG. 23 is a top plan view of FIG. 21, the bottom being identical to FIG. 12.




U.S. Patent

Jul. 22, 1980

Sheet 1 of 5

Des. 256,048




U.S. Patent Jul


Jul. 22, 1980


Sheet 2 of 5

Des. 256,048



Jul. 22, 1980







U.S. Patent Jul. 22, 1980

Sheet 4 of 5

Des. 256,048

F1G. 18





F1G. 19

FIG. 20




FIG. 16





FIG. 17






FIG. 22



