

[54] FIREPLACE HOOD

[76] Inventor: Rex M. Brown, 435 E., 1st N., Smithfield, Utah 84335

[\*\*] Term: 14 Years

[21] Appl. No.: 874,543

[22] Filed: Feb. 1, 1978

Related U.S. Application Data

[63] Continuation of Ser. No. 749,298, Dec. 10, 1976, abandoned, which is a continuation of Ser. No. 606,064, Aug. 20, 1975, abandoned, which is a continuation-in-part of Ser. No. 538,100, Jan. 2, 1975, abandoned.

[51] Int. Cl. .... D23-03

[52] U.S. Cl. .... D23/151; D23/95

[58] Field of Search .... D23/72, 77, 93, 94, D23/151, 73, 127, 195; 126/142, 135, 120, 121, 202; 219/370; 237/51

[56] References Cited

U.S. PATENT DOCUMENTS

1,706,142	3/1929	Byrne	126/121
1,766,601	6/1930	Cesa	126/121
1,987,252	1/1935	Cage	126/121
2,724,044	11/1955	Campbell	219/370
3,059,563	10/1962	Larson	D23/151
4,112,914	9/1978	Brown	126/121

Primary Examiner—Wallace R. Burke

Assistant Examiner—B. J. Bullock


Attorney, Agent, or Firm—Robert C. Collins

[57] CLAIM

An ornamental design for a fireplace hood, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a fireplace hood showing my new design, the portion of a wall and fireplace are shown in broken lines for illustrative purposes only; FIG. 2 is a front elevational view of FIG. 1; FIG. 3 is a rear elevational view of FIG. 1; FIG. 4 is a top plan view of FIG. 1; FIG. 5 is a side elevational view of FIG. 1; FIG. 6 is a bottom plan view of FIG. 1; FIG. 7 is a perspective view of a second embodiment of the design of FIG. 1; FIG. 8 is a front elevational view of FIG. 7; FIG. 9 is a rear elevational view of FIG. 7; FIG. 10 is a top plan view of FIG. 7; FIG. 11 is a side elevational view of FIG. 7; FIG. 12 is a bottom plan view of FIG. 7; FIG. 13 is a perspective view of a third embodiment of the design of FIG. 1; FIG. 14 is an enlarged side elevational view of FIG. 13; FIG. 15 is a front elevational view of the embodiment of FIG. 13, the rear being identical to FIG. 3; FIG. 16 is a top plan view of FIG. 13; FIG. 17 is a bottom plan view of FIG. 13; FIG. 18 is a front elevational view of a fourth embodiment of the design of FIG. 1, the rear being identical to FIG. 3; FIG. 19 is a side elevational view of FIG. 18; FIG. 20 is a top plan view of FIG. 18, the bottom being identical to FIG. 6; FIG. 21 is a front elevational view of a fifth embodiment of the design of FIG. 1, the rear being identical to FIG. 9; FIG. 22 is a side elevational view of FIG. 21; FIG. 23 is a top plan view of FIG. 21, the bottom being identical to FIG. 12.









FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10

FIG. 11




FIG. 12




FIG. 13





FIG. 14

FIG. 15




FIG. 18





FIG. 19

FIG. 20




FIG. 16




FIG. 17






FIG. 22



FIG. 21




FIG. 23