

[54] **SPRAYER**
[76] **Inventor:** Tetsuya Tada, 6-3, 2-chome,
Kakinokizaka, Meguro-ku, Tokyo,
Japan
[**] **Term:** 14 Years
[21] **Appl. No.:** 929,936
[22] **Filed:** Aug. 1, 1978
[30] **Foreign Application Priority Data**
May 31, 1978 [JP] Japan 53-22494
[51] **Int. Cl.** D23-01
[52] **U.S. Cl.** D23/17
[58] **Field of Search** D23/17, 18, 34-40;
239/333; 222/214, 372, 380, 383; D9/3, 8, 9,
258, 295

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 228,657 10/1973 Anderson D23/17
D. 243,180 1/1977 Federico et al. D23/17
D. 244,531 5/1977 Klingaman D23/18

D. 247,302 2/1978 Federico et al. D23/18
D. 247,366 2/1978 Jones D23/17
3,685,739 8/1972 Vanier 239/333
3,768,734 10/1973 Anderson et al. 239/333
4,153,203 5/1979 Tada 239/333
4,161,288 7/1979 McKinney 239/333

Primary Examiner—James R. Largent
Attorney, Agent, or Firm—Robert D. Flynn

[57] **CLAIM**

The ornamental design for a sprayer, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sprayer showing my design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof, the left side being a mirror image of the right side shown; and
FIG. 7 is another perspective view thereof showing the nozzle cover in its open position.




FIG. 7







FIG. 1



F I G. 2



F I G. 3






FIG. 6




FIG. 4




FIG. 5