

[54] **COMBINED BUCKLE AND SLIDABLY REMOVABLE WATCH**

[75] Inventors: **Takayuki Okura**, Tokyo; **Seiki Ishimatsu**, Kawaguchi, both of Japan

[73] Assignee: **Nippon Martin Co., Ltd.**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **844,485**

[22] Filed: **Oct. 21, 1977**

[51] Int. Cl. .... **D02-07**

[52] U.S. Cl. .... **D2/406**

[58] Field of Search .... **D2/380-393, D2/405, 406, 422, 423, 442; D10/30, 31; 2/311, 321, 322; 24/163 R, 186, 187, 163 KO, 90 A; 58/88 R, 88 SC, 88 W, 88 E, 88 WC; 224/4 C, 4 E, 4 D**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 127,287 5/1941 Stelzer ..... **D2/444**  
1,383,968 7/1921 Perry, Jr. et al. .... **224/4 C**

2,229,978 1/1941 Kolberg ..... **58/88 SC**  
2,840,875 7/1958 Chambers ..... **24/163 KO**

**OTHER PUBLICATIONS**

*Gentlemen's Quarterly*, vol. 41, Nov. 1971, p. 5, first Belt Buckle from left.

*Primary Examiner*—Joel Stearman  
*Assistant Examiner*—Carmen H. Vales  
*Attorney, Agent, or Firm*—John E. Lind




[57] **CLAIM**

The ornamental design for a combined buckle and slidably removable watch, substantially as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of a combined buckle and slidably removable watch showing our new design; FIG. 2 is a bottom rear perspective view thereof; FIG. 3 is an exploded top plan view thereof; and FIG. 4 is a side elevational view taken from the right of FIG. 1.


The representative energized state of the watch dial shown in FIGS. 1 and 3 displays the time as 12 hours, 41 minutes.




**FIG. 1**



**FIG. 2**



**FIG. 3**



**FIG. 4**

