

[54] **DIRECTION AND TEMPERATURE INDICATOR CASE AND MOUNT THEREFOR**

[75] Inventor: **Marvin Cooper**, New Rochelle, N.Y.

[73] Assignee: **Dynamic Classics, Ltd.**, New York, N.Y.

[\*\*] Term: **14 Years**

[21] Appl. No.: **918,287**

[22] Filed: **Jun. 22, 1978**

[51] Int. Cl. .... **D10-04**

[52] U.S. Cl. .... **D10/53; D10/57; D10/60; D10/74**

[58] Field of Search ..... **D10/102, 53, 65, 68, D10/57, 58, 60, 74; 73/432 AD, 339 R, 363, 343 R; 33/355; 116/DIG. 37, 300**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 181,053 9/1957 Hauser ..... D10/53

D. 199,808	12/1964	Gazzam .....	D10/53
D. 228,019	7/1973	Cuccio .....	D10/53
D. 251,482	4/1979	Sugiyama .....	D10/102 X
2,398,724	4/1946	Schulz .....	116/300 X
2,711,153	6/1955	Wendt .....	116/DIG. 37

**OTHER PUBLICATIONS**

*Gifts & Dec. Access.*, -3/75-p. 70-Dual Inst. at bottom.

*Primary Examiner*—Nelson C. Holtje

*Attorney, Agent, or Firm*—Morton Amster

[57] **CLAIM**

The ornamental design for a direction and temperature indicator case and mount therefor, as shown.

**DESCRIPTION**

FIG. 1 is a front elevational view of a direction and temperature indicator case and mount therefor showing my new design;


FIG. 2 is a top plan view thereof;

FIG. 3 is right side elevational view thereof;


FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof; and,


FIG. 6 is a bottom plan view thereof.




*FIG. 1*



*FIG. 2*



*FIG. 3*






FIG. 4




FIG. 5




FIG. 6