

[54] COMBINED ELECTRONIC CALCULATING MACHINE AND CLOCK

[75] Inventors: Yoshihisa Ohie; Masafumi Yamagami, both of Osaka, Japan

[73] Assignee: Sharp Kabushiki Kaisha, Japan

[**] Term: 14 Years

[21] Appl. No.: 907,249

[22] Filed: May 16, 1978

[30] Foreign Application Priority Data

Nov. 16, 1977 [JP] Japan 52/45704

[51] Int. Cl. D10-01; D18-01

[52] U.S. Cl. D18/2; D10/2; D18/7

[58] Field of Search D18/2, 6-8, D18/11, 12; 200/5 A; 364/706-710; D14/45, 72-74; D10/2, 15; 58/152 R

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 229,437 11/1973 Miyamoto et al. D10/2 X
- D. 240,661 7/1976 Fujiwara D10/15 X
- D. 242,385 11/1976 Hamada D10/15 X
- D. 247,563 3/1978 Jinbo et al. D14/43

Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Paul D. Flehr

[57] CLAIM

The ornamental design for a combined electronic calculating machine and clock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined electronic calculating machine and clock showing our new design in use as a clock;

FIG. 2 is a perspective view of the electronic calculating machine with clock in use as a calculator;

FIG. 3 is a perspective view thereof showing the instruction panel extended;

FIG. 4 is a top plan view of the calculator;




FIG. 5 is a front elevational view thereof;


FIG. 6 is a rear elevational view thereof;

FIG. 7 is a right-hand elevational view thereof;


FIG. 8 is a left-hand elevational view thereof; and

FIG. 9 is a bottom plan view thereof.







FIG_1




FIG_2




FIG_3




FIG_4




FIG_5




FIG_6



FIG_8



FIG_7



FIG_9