

[54] **INSIDE MICROMETER**

953,933 4/1910 Tucker ..... 33/165

[75] Inventor: Tetsunori Tanada, Hiromachi, Japan

**OTHER PUBLICATIONS**

[73] Assignee: Mitutoyo Mfg. Co., Ltd., Tokyo, Japan

*Starrett Cat. #27*, 1970, p. 81, Inside Micrometer Calipers.

[\*\*] Term: 14 Years

*Ash Precision Cat. #15*, ©1966, p. 28-T, Inside Micrometer Calipers.

[21] Appl. No.: 28,556

*Mitutoyo Cat. #900*, 3/73, p. 38, Inside Micrometers.

[22] Filed: Apr. 9, 1979

*Primary Examiner*—Nelson C. Holtje

*Attorney, Agent, or Firm*—William L. Androlia

[30] **Foreign Application Priority Data**

[57] **CLAIM**

Oct. 8, 1978 [JP] Japan ..... 53-43842

The ornamental design for an inside micrometer, substantially as shown and described.

[51] Int. Cl. .... D10-04

**DESCRIPTION**

[52] U.S. Cl. .... D10/73

[58] Field of Search ..... D10/70, 73; 33/164 R, 33/164 B, 164 C, 164 D, 165, 166, 167

FIG. 1 is a left front perspective view of an inside micrometer showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof;


FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof.


[56] **References Cited**

**U.S. PATENT DOCUMENTS**


D. 136,578	10/1943	Reed	.....	D10/73
D. 253,689	12/1979	Tanada	.....	D10/73
536,676	4/1895	Wilcox	.....	33/167
842,263	1/1907	Spalding	.....	33/164 D




*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*

