

[54] **BATTERY POWERED GREASE GUN** 2,928,574 3/1966 Wagner 222/263 X
 3,208,638 9/1965 Frenzel et al. 222/333 X
 [75] Inventors: **Jerome B. Wegmann, St. Louis** 3,209,958 10/1965 Sundholm D8/14.1 X
County; Norbert F. Cook, Florissant, 3,807,606 4/1974 Foerst et al. 222/333
both of Mo. 4,030,665 6/1977 Koyama 222/333 X

[73] Assignee: **McNeil Corporation, Akron, Ohio**

[**] Term: **14 Years**

[21] Appl. No.: **959,513**

[22] Filed: **Nov. 13, 1978**

[51] Int. Cl. **D8-05**

[52] U.S. Cl. **D8/14.1**

[58] Field of Search **D8/14.1; D23/17-18;**
 222/262, 263, 323, 333

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 89,678	4/1933	Canter	D8/14.1
D. 133,007	7/1942	Hawkins	D8/14.1
1,972,181	9/1934	Chambers	222/262
2,074,143	3/1937	Davis	222/262
2,626,085	1/1953	MacKinnon	222/262
2,694,508	11/1954	Petrenchak	222/323


Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Irving Powers

[57] **CLAIM**

The ornamental design for a battery powered grease gun, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery powered grease gun showing our new design; FIG. 2 is a bottom plan view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a front elevational view thereof with a portion of the gun barrel broken away for convenience of illustration. The nozzle shown in FIG. 1 has been omitted from FIGS. 3 through 7 for convenience of illustration.








FIG. 3

FIG. 4

FIG. 1

FIG. 5




FIG. 7




FIG. 2




FIG. 6

