

[54] **MOULDING PROTECTOR**

[76] Inventor: **James M. Woodard**, 5470 Glore Dr.,
Mableton, Ga. 30059

[**] Term: **14 Years**

[21] Appl. No.: **933,732**

[22] Filed: **Aug. 14, 1978**

[51] Int. Cl. **D6-06; D8-09**

[52] U.S. Cl. **D8/402; D6/191;**
D8/403

[58] Field of Search **D8/400-403;**
D6/191; 248/345.1; 190/37; 49/460, 462;
16/82, 83, 85, 86 R, 86 A; 206/453, 586

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 221,958	9/1971	Finebaum	D8/403
D. 246,625	12/1977	Becker	D6/191
1,935,718	11/1933	Johnson	248/345.1
3,936,025	2/1976	Cass	248/345.1
4,072,231	2/1978	Helms	248/345.1


Primary Examiner—**Barbara J. Bullock**
Attorney, Agent, or Firm—**Harold D. Jones, Jr.**

[57] **CLAIM**

The ornamental design for a moulding protector, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a moulding protector showing my new design, the portion of a refrigerator casing being shown in broken lines for illustrative purposes only;
FIG. 2 is a top view of FIG. 1;
FIG. 3 is a bottom view of FIG. 1;
FIG. 4 is a front view of FIG. 1;
FIG. 5 is a rear view of FIG. 1;
FIG. 6 is a side view taken from the left of FIG. 4;
FIG. 7 is a side view taken from the right of FIG. 4;
FIG. 8 is a perspective view of a second embodiment of the design of FIG. 1; again, a portion of a refrigerator casing being shown in broken lines for illustrative purposes only;
FIG. 9 is a top view of FIG. 8;
FIG. 10 is a bottom view of FIG. 8;
FIG. 11 is a front view of FIG. 8;
FIG. 12 is a rear view of FIG. 8;
FIG. 13 is a side view taken from the left of FIG. 11;
FIG. 14 is a side view taken from the right of FIG. 11.






Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

