

[54] WALL CLOCK

[76] Inventor: Kendall E. Hoke, P.O. Box 272, Sidney, N.Y. 13838

[**] Term: 7 Years

[21] Appl. No.: 924,851

[22] Filed: Jul. 13, 1978

[51] Int. Cl. D10-01

[52] U.S. Cl. D10/6; D10/7

[58] Field of Search D10/1, 2, 6, 7, 21, D10/122-126; D11/133, 134, 157, 159, 99, 100; D30/23

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|--------|-----------|-------|---------|
| D. 33,228 | 9/1900 | Clark | | D30/23 |
| D. 165,185 | 3/1952 | Goldstein | | D11/133 |
| D. 166,184 | 3/1952 | Goldstein | | D11/133 |

| | | | | |
|------------|---------|-----------|-------|----------|
| D. 208,970 | 10/1967 | Sawallesh | | D11/134 |
| D. 246,290 | 11/1977 | Shelton | | D10/6 |
| 1,402,920 | 1/1922 | Cary | | D30/23 X |


Primary Examiner—Nelson C. Høltje
Attorney, Agent, or Firm—Richard G. Stephens

[57] CLAIM

The ornamental design for a wall clock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a wall clock showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof, the right side being a mirror image thereto;
FIG. 6 is a partial left side cross-sectional view of the rear half of the clock illustrating depth of the relief horse-head and clock face.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6