

[54] SPRAYER NOZZLE

[75] Inventors: Theodore J. Humphrey, II, Miami Lakes; Walter H. Wesner, Plantation, both of Fla.

[73] Assignee: The AFA Corporation, Miami Lakes, Fla.

[\*\*] Term: 7 Years

[21] Appl. No.: 895,902

[22] Filed: Apr. 13, 1978

[51] Int. Cl. .... D23-01

[52] U.S. Cl. .... D23/35

[58] Field of Search ..... D23/17, 18, 34-40; 239/333

[56] References Cited

U.S. PATENT DOCUMENTS

D. 134,562	12/1942	Murphy	.....	D23/35
D. 199,098	9/1964	Tyler	.....	D23/17
D. 226,712	4/1973	Tada	.....	D23/17

D. 244,531	5/1977	Klingaman	.....	D23/18
D. 247,366	2/1978	Jones et al.	.....	D23/17

Primary Examiner—James R. Largen  
Attorney, Agent, or Firm—Gerald K. White


[57] CLAIM

The ornamental design for a sprayer nozzle, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a sprayer nozzle showing our new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a side elevational view thereof, the opposite side being a mirror image of the side shown;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a rear elevational view thereof; and,  
FIG. 7 is a perspective view taken from the front, top and one side thereof.

The broken line representation of a sprayer in FIG. 1 is for purposes of illustration only.






FIG. 6




FIG. 7




FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5

UNITED STATES PATENT OFFICE  
CERTIFICATE OF CORRECTION

Patent No. Design 257,740

Dated Dec. 30, 1980

Inventor(s) Theodore J. Humphrey, II and Walter H. Wesner

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Page 1, Colum 1, change

"[\*\*] Term: 7 Years" to read

--[\*\*] Term: 14 Years --.

Signed and Sealed this

Twelfth Day of May 1981

[SEAL]

*Attest:*

RENE D. TEGTMEYER

*Attesting Officer*

*Acting Commissioner of Patents and Trademarks*