Cyplik

[45] ** Jan. 13, 1981

[54]	PANEL FOR PARTITIONS OR THE LIKE	
[75]	Inventor:	Kathryn L. Cyplik, La Grange, Ill.
[73]	Assignee:	Beatrice Foods Co., Denver, Colo.
[**]	Term:	14 Years
[21]	Appl. No.:	948,521
[22]	Filed:	Oct. 4, 1978
[51] [52] [58]	U.S. Cl Field of Sea	D6—06 D6/139 D6/139; D92/1 P, 1 Y, QQ, 1 R, 1 N; D25/58, 60; 160/135, 218, 229 R, 351, DIG. 7; 52/239
[56] References Cited		
U.S. PATENT DOCUMENTS		
4,12	21,645 10/19	78 Behr D6/139
OTHER PUBLICATIONS		

Primary Examiner—Barbara J. Bullock Attorney, Agent, or Firm—David Michael Clayton

[57]

from left).

Partition (upper right).

CLAIM

Interiors, 9/1973, p. 125, Curved Partition and Flat

Interiors, 7/1977, p. 23, Patterned Partition (second

The ornamental design for a panel for partitions or the like, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a panel for partitions or the like showing my new design, the rear being flat and unornamented;

FIG. 2 is a front elevational view of a second embodiment of the design of FIG. 1, the only difference being the reversal of the pattern;

FIG. 3 is a perspective view of the third, fourth, and fifth embodiments of the design of FIG. 1, wherein the design of the rear is plain, as shown in FIG. 8, as shown in FIG. 6, respectively;

FIG. 4 is a side elevational view taken from the right of FIG. 3;

FIG. 5 is a perspective view of the sixth and seventh embodiments of the design of FIG. 1, wherein the design of the rear is as shown in FIG. 1, as shown in FIG. 2, respectively;


FIG. 6 is a perspective view of the eighth and ninth embodiments of the design of FIG. 1, wherein the design of the rear is plain, as shown in FIG. 7, respectively;

FIG. 7 is a perspective view of the tenth embodiment of the design of FIG. 1, wherein the design of the rear is plain;


FIG. 8 is a perspective view of the eleventh and twelfth embodiments of the design of FIG. 1, wherein the rear is plain, as shown of FIG. 7, respectively;

FIG. 9 is a perspective view of the thirteenth embodiment of the design of FIG. 1, wherein the rear is as shown in FIG. 1.

The broken line disclosure of the pedestal feet in FIGS. 3, 4, 5, and 6 is for illustrative purposes only.



Jan. 13, 1981



Jan. 13, 1981

