

[54] DEVICE FOR MAINTAINING DELIVERY OF GASOLINE PUMP NOZZLE

4,005,339 1/1977 Plantard 141/392 X
4,095,629 6/1978 Jordan 141/392

[76] Inventor: Morris Maynor, Jr., P.O. Box 368, Atlanta, Tex. 75551

FOREIGN PATENT DOCUMENTS

[**] Term: 14 Years

317781 1/1902 France 46/26
387743 5/1908 France 248/359
836322 10/1938 France 248/359

[21] Appl. No.: 843,646

OTHER PUBLICATIONS

[22] Filed: Oct. 19, 1977

T. A. Thomas, Technical Illustration, Book, McGraw-Hill, N. Y., 1960, p. 41.

[51] Int. Cl. D8-08; D15-02; D23-01

Primary Examiner—Peter Feldman
Attorney, Agent, or Firm—Bernard Stickney

[52] U.S. Cl. D8/349; D8/354; D15/9.1; D23/37

[58] Field of Search D8/349, 354; D2/108; D30/4, 44, 30; D19/59; D15/9.1; D3/61-64; D23/37; 46/24-26; 141/392; 74/526, 551; 251/90, 101, 111; 8/DIG. 1; 70/458; 292/342, 343; 248/359, 360

[57] CLAIM

The ornamental design for a device for maintaining delivery of gasoline pump nozzle, as shown and described.

[56] References Cited


DESCRIPTION

U.S. PATENT DOCUMENTS

.944,175 12/1909 Chasse 251/111 X
1,619,435 3/1927 Rettig 46/24 X
3,044,317 7/1962 Trevaskis 74/526

FIG. 1 is a front elevation view of a device for maintaining delivery of gasoline pump nozzle showing my new design, the opposite side being a mirror image of the side shown;

FIG. 2 is a perspective view thereof.






FIG. 1.




FIG. 2.