

[54] **TRAY STRUCTURE OR THE LIKE FOR USE IN CONJUNCTION WITH A LABORATORY RACK**

[75] Inventor: Robert S. Potts, Sherborn, Mass.

[73] Assignee: Corning Glass Works

[\*\*] Term: 14 Years

[21] Appl. No.: 889,608

[22] Filed: Mar. 23, 1978

[51] Int. Cl. .... D24—02

[52] U.S. Cl. .... D24/32; D24/31

[58] Field of Search .... D24/31, 32; 211/126

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 186,631	11/1959	Seymour	.....	D24/32
D. 225,467	12/1972	Burke et al.	.....	D24/31
3,707,227	12/1972	Britt	.....	D24/32
4,160,803	7/1979	Potts	.....	206/509

Primary Examiner—Sam Rosen

Attorney, Agent, or Firm—Burton R. Turner

[57] **CLAIM**

The ornamental design for a tray structure or the like

for use in conjunction with a laboratory rack, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of a tray structure or the like for use in conjunction with a laboratory rack embodying my new design.

FIG. 2 is a front view taken along line 2—2 of FIG. 1.

FIG. 3 is a side view taken along line 3—3 of FIG. 1.


FIG. 4 is a back view taken along line 4—4 of FIG. 1.


FIG. 5 is a fragmented front sectional view, taken along line 5—5 of FIG. 1, with wall thickness exaggerated for clarity.

FIG. 6 is a fragmented side sectional view, taken along line 6—6 of FIG. 1, and with wall thickness also exaggerated for clarity.


A bottom view of the tray structure is the same as the top view of FIG. 1 but with projections shown as recesses and vice versa.

A flange portion, shown as an extreme peripheral edge in FIG. 1, and illustrated as a wall thickness, by a pair of narrow parallel horizontal lowermost lines in FIGS. 2—4, are exaggerated in thickness so that the flange portion could be more clearly illustrated.






*Fig. 1*




*Fig. 2*




*Fig. 3*

*Fig. 5*



*Fig. 6*



*Fig. 4*

