

[54] COMBINED RADIO AND TELEVISION RECEIVER

D. 219,115 11/1970 Leman D14/78
D. 219,242 11/1970 Yoshikawa D14/70

[75] Inventors: Kiyoshi Suzuki, Ibaraki; Kenichi Itho, Kawanishi; Tadashi Sumino, Kyoto; Satoru Kotani, Kyoto; Masaki Yamamoto, Kyoto; Kazunori Mano, Ibaraki, all of Japan

[73] Assignee: Matsushita Electric Industrial Co., Ltd., Kadoma, Japan

[**] Term: 14 Years

[21] Appl. No.: 52,640

[22] Filed: Jun. 27, 1979

[30] Foreign Application Priority Data

Dec. 29, 1978 [JP] Japan 53-55965

[51] Int. Cl. D14-03

[52] U.S. Cl. D14/72; D14/79; D14/81

[58] Field of Search D14/1, 2, 5, 6, 68-84, D14/99

[56] References Cited

U.S. PATENT DOCUMENTS

D. 209,708 12/1967 Miki D14/80

OTHER PUBLICATIONS

Home Furnishings Daily, 7-23-71, p. 17, Items TR-001E & TR-003.

Primary Examiner—Jane E. Corrigan
Attorney, Agent, or Firm—Sughrue, Rothwell, Mion, Zinn & Macpeak

[57] CLAIM

The ornamental design for a combined radio and television receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a combined radio and television receiver showing our new design;

FIG. 2 is a rear, bottom and left side perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a right side elevational view thereof; and

FIG. 9 is a view like FIG. 1 with the antenna in raised condition and the bottom leg in extended condition.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

