

[54] **PLAYER SEQUENCE INDICATOR SIGN** 3,596,388 8/1971 Shorten ..... 40/19.5  
 4,000,571 1/1977 Harrison ..... 40/19.5

[75] Inventor: **Armando E. Acosta**, Gardena, Calif.

[73] Assignee: **George S. Bernyk**, Torrance, Calif.

[\*\*] Term: **14 Years**

[21] Appl. No.: **927,676**

[22] Filed: **Jul. 24, 1978**

[51] Int. Cl. .... **D20-03**

[52] U.S. Cl. .... **D20/42**

[58] Field of Search ..... D20/10, 12, 18, 19,  
 D20/21, 39-44; D19/52; 40/19.5, 10 R, 584,  
 596, 605, 606, 607, 611, 617, 618, 624; 35/24 A,  
 7 R

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

2,192,679 3/1940 Kimball ..... 40/19.5  
 2,965,978 12/1960 Olson ..... 40/19.5 X

*Primary Examiner*—Catherine E. Kemper  
*Attorney, Agent, or Firm*—Wm. Jacquet Gribble

[57] **CLAIM**


The ornamental design for a player sequence indicator sign, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a player sequence indicator sign showing my new design;  
 FIG. 2 is a perspective view of a second embodiment thereof; and  
 FIG. 3 is a perspective view of a third embodiment thereof.

The sides not shown are similar to the sides shown and the backs not shown are planar and unornamented.


The broken line disclosure of the name tags in all views is for illustrative purposes only and forms no part of the claimed design.



*Fig. 1.*



*Fig. 2.*





*Fig. 3.*

