

[54] **GLUEING JIG FOR PRODUCTION OF MODEL RAILWAY SWITCH POINTS**

[76] Inventor: **Janos Jozsa**, Gråbergsvägen 3, Trollhättan, Sweden, 461 00

[\*\*] Term: **14 Years**

[21] Appl. No.: **888,681**

[22] Filed: **Mar. 20, 1978**

[30] **Foreign Application Priority Data**

Sep. 20, 1977 [SE] Sweden ..... 1866

[51] Int. Cl. .... **D8—05**

[52] U.S. Cl. .... **D8/71; D21/143; 238/10 R; 246/415 A; 269/289 R**

[58] Field of Search ..... **D15/140; D8/71; D21/129, 143; 269/289, 321 A, 321 W, 303, 305, 306, 1; 46/216, 1 K, 258-261; 104/60; 238/10 R-10 E; 29/241; 246/415 A**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

2,214,310 9/1940 Schriffler ..... 246/415 A

2,615,125 10/1952 Peabody ..... 246/415 A  
3,243,180 3/1966 Van Ryn ..... 269/305  
3,626,855 12/1971 Fogelstrom ..... 238/10 R

*Primary Examiner*—Peter Feldman  
*Attorney, Agent, or Firm*—Holman & Stern

[57] **CLAIM**

The ornamental design for a glueing jig for the production of model railway switch points, as shown and described.

**DESCRIPTION**

FIG. 1 is an enlarged perspective view of my design for a jig for the production of model railway rails as viewed from one end and above;

FIG. 2 is another perspective view, reduced in scale, as viewed from one side thereof and from above; and

FIG. 3 is an enlarged elevational view of the longitudinal side thereof, both longitudinal sides thereof being identical in design.

FIG. 4 is an enlarged partial perspective view of the area as indicated by the bracketed area 4 in FIG. 2.

The bottom side of the glueing jig is planar and unornamented.




FIG. 1




FIG. 2




FIG. 3



FIG. 4

