

[54] SEISMIC CABLE LOCATOR

[76] Inventor: Lloyd Paitson, Drawer 2600, Galveston, Tex. 77552

[**] Term: 14 Years

[21] Appl. No.: 923,050

[22] Filed: Jul. 7, 1978

[51] Int. Cl. D10-04

[52] U.S. Cl. D10/46

[58] Field of Search D10/46, 47, 78, 103; 324/67, 326-329, 72.5

[56] References Cited

U.S. PATENT DOCUMENTS

D. 192,048	1/1962	Rickard	D10/46
D. 209,698	12/1967	Langlie	D10/78
D. 215,618	10/1969	MacCotter	D10/47 X
D. 217,931	6/1970	Humphreys	D10/78

D. 220,918	6/1971	Klamer	D10/46
412,924	10/1889	Kester	324/326
3,281,660	10/1966	Studenick	324/326
3,364,424	1/1968	Berg	324/72.5
3,988,663	10/1976	Slough	324/326


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Bernard A. Reiter

[57] CLAIM

The ornamental design for a seismic cable locator, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a seismic cable locator showing my new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a top plan view thereof.






fig. 1




fig. 6




fig. 2




fig. 5




fig. 4




fig. 3