

[54] COMBINED CLOCK RADIO AND TELEVISION RECEIVER

[75] Inventors: Naoki Wada; Tomitaro Saito; Seiji Usami; Kazuo Kawabe; Koji Satake, all of Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 930,738

[22] Filed: Aug. 3, 1978

[30] Foreign Application Priority Data

Feb. 2, 1978 [JP] Japan ..... 53-4701

[51] Int. Cl. .... D14-03; D10-01

[52] U.S. Cl. .... D14/73; D10/2; D10/15; D14/79; D14/81

[58] Field of Search ..... D14/1, 5, 6, 2, 68, D14/70-77, 79-81, 84, 96, 99; D10/2, 15

[56] References Cited

U.S. PATENT DOCUMENTS

D. 229,970 1/1974 Sugihara ..... D14/80

D. 241,976 10/1976 Suzuki et al. .... D14/79

OTHER PUBLICATIONS

Evans Cat. ©1976, p. 218-x, Item "E", Ken-Tech Model R919, p. 233-x, Item "J", GE Model 7-2995. "Stereo Tuners & Receivers", Fall 1977, p. 36, Fisher Model #FM 2310.

Primary Examiner—Jane E. Corrigan  
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert

[57] CLAIM

The ornamental design for a combined clock radio and television receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front top and right side perspective view of a combined clock radio and television receiver showing our new design;


FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right side elevational view thereof;


FIG. 5 is a top plan view thereof; and

FIG. 6 is a bottom plan view.







FIG\_1




FIG\_2




FIG\_3



FIG\_4



FIG\_5



FIG\_6