

[54] TIE-DOWN DEVICE

[76] Inventor: John D. Hughes, 55 Half Moon Rd.,
Novato, Calif. 94947

[**] Term: 14 Years

[21] Appl. No.: 926,011

[22] Filed: Aug. 18, 1978

[51] Int. Cl. D8-08

[52] U.S. Cl. D8/367

[58] Field of Search D8/366-372;
248/489, 490, 505, 475 R, 316 D, 309 R, 211,
227, 290, 294, 301; 24/67 R, 67.3, 67.9, 263.5 B,
130, 265 R, 265 CD; 410/101, 96, 106, 107, 110,
112, 116

[56] References Cited

U.S. PATENT DOCUMENTS

D. 207,423 4/1967 Pick D8/367
D. 212,553 10/1968 Hekman D8/367

1,608,662 11/1926 Nourse 24/130
3,960,091 6/1976 Ehlert 24/265 CD


Primary Examiner—Peter Feldman
Attorney, Agent, or Firm—Phillips, Moore,
Weissenberger, Lempio & Majestic

[57] CLAIM

The ornamental design for a tie-down device, substan-
tially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a tie-down device showing
my new design and having a circular base;
FIG. 2 is a right side elevational view thereof, the oppo-
site side being a mirror image of the side shown;
FIG. 3 is a bottom perspective view thereof;
FIG. 4 is a top plan view of a second embodiment of
FIG. 1, the base being rectangular;
FIG. 5 is a right side elevational view thereof, the oppo-
site side being a mirror image of the side shown; and
FIG. 6 is a bottom perspective view thereof.






FIGURE 1.



FIGURE 2.




FIGURE 3.




FIGURE 4.




FIGURE 5.




FIGURE 6.